

Message

From: Brad Gentry [bgentry@iwmconsult.com]
Sent: 5/29/2019 1:49:47 PM
To: Bury, Carolyn [bury.carolyn@epa.gov]; Chris Parks [cparks@iwmconsult.com]
CC: Neal, Conor [Neal.Conor@epa.gov]; Sundar, Bhooma [sundar.bhooma@epa.gov]; Caudill, Motria [caudill.motria@epa.gov]
Subject: RE: Confidential - Dissolved TCE GW Map_Base of Unit B

Carolyn

Thank you for the email. Yes, we have heard that the 400 Forsythe access agreement is in the final stages and signatures should be obtained shortly. We will let you know once we receive the fully executed access agreement.

I will have to look into Conor's questions about the saturated thickness of Unit B for temporary wells TW-22 and TW-31. Chris Newell and Chris Parks are both out today and they were directly involved in the drilling activities so I will need to discuss this with them when they get back into the office.

Sincerely,

Bradley E. Gentry, LPG
 Vice President/Brownfield Coordinator
 IWM Consulting Group, LLC
 7428 Rockville Road
 Indianapolis, IN 46214
 Mobile: (317) 435-8877
 Office: (317) 968-9256
 Fax: (317) 347-9326

From: Bury, Carolyn <bury.carolyn@epa.gov>
Sent: Wednesday, May 29, 2019 9:27 AM
To: Brad Gentry <bgentry@iwmconsult.com>; Chris Parks <cparks@iwmconsult.com>
Cc: Neal, Conor <Neal.Conor@epa.gov>; Sundar, Bhooma <sundar.bhooma@epa.gov>; Caudill, Motria <caudill.motria@epa.gov>
Subject: FW: Confidential - Dissolved TCE GW Map_Base of Unit B

Hi Brad and Chris,

I received an email from the attorney at 400 N Forsythe indicating that the access agreement was negotiated and that signatures were being obtained. Good news but can you verify that? Thanks.

Per the information from Conor, below, it looks as if two of the temporary well points (TW-22 and TW-31) should have had a deep sample taken, per the work plan, but only had a shallow unit taken.

Please either explain why only one sample was taken at the two locations or re-sample the wells for both depths when you sample the 400 Forsythe property.

Call me if you have any questions.

Thanks.
 Carolyn

Carolyn Bury
 Corrective Action Project Manager
 Remediation Branch
 Land, Chemicals and Redevelopment Division
 U.S. Environmental Protection Agency
 77 W. Jackson Blvd. LU-16J
 Chicago, IL 60604

312-886-3020
bury.carolyn@epa.gov

From: Neal, Conor
Sent: Tuesday, May 28, 2019 11:21 AM
To: Bury, Carolyn <bury.carolyn@epa.gov>
Subject: RE: Confidential - Dissolved TCE GW Map_Base of Unit B

Carolyn

In the second off-site GW investigation, Amphenol collected GW samples from temporary wells 15 through 34. The work plan says that Amphenol would collect one sample from the water table if the GW thickness was less than 5 feet. If the GW thickness was 5 feet or more Amphenol would collect a sample from the water table and another at the base of Unit B.

The table below lists temporary well locations with only one sample and calculates the GW thickness based on the Unit C Elevation and the GW elevation. TW-22 and TW-31 should have had a second GW sample collected from the base of Unit B.

Well ID	Unit C Elevation	GW Elevation (3/7/19)	GW thickness			
TW-20	713.33	715.85	2.52			
TW-21	711.84	715.37	3.53			
TW-22	709.34	714.59	5.25			
TW-23	711.78	715.98	4.2			
TW-24	714.34	715.54	1.2			
TW-25	715.05	716.73	1.68			
TW-31	712.86	719.04	6.18			

Conor